Geophysical journal subject index by volume 93

Absorption

P-wave coda analysis of short-period array data and the scattering and absorptive properties of the lithosphere (Korn, M.), **93**, 437

Africa

Carboniferous palaeomagnetic investigations in Morocco: Permian remagnetizations and possible large Carboniferous rotations occurring in Mesetian sedimentary and Jebilets intrusive rocks (Salmon, E., Edel, J.B., Pique, A., Westphal, M.), **93**, 115

Anisotropy

A new formalism for the effect of lateral heterogeneity on normal modes and surface waves–II. General anisotropic perturbation (Romanowicz, B., Snieder, R.), **93**, 91

APW (apparent polar wander)

Palaeomagnetism of the Itajai, Castro and Bom Jardim groups from southern Brazil (D'Agrella-Filho, M.S., Pacca, I.G.), **93**, 365

Continental deformation

The relationship between plate motions and seismic moment tensors, and the rates of active deformation in the Mediterranean and Middle East (Jackson, J., McKenzie, D.), **93**, 45

Continental lithosphere – Asia and Australia

Deep crustal reflection recordings in Australia 1957-1973–I. Data acquisition and presentation (Moss, F.J., Dooley, J.C.), **93**, 229
Deep crustal reflections in Australia 1957-1973–II. Crustal models (Dooley, J.C., Moss, F.J.), **93**, 239

Convection modelling

The effect of a shallow low-viscosity zone on the mantle flow, the geoid anomalies and the geoid and depth–age relationships at fracture zones (Robinson, E.M., Parsons, B., Driscoll, M.), **93**, 25
Numerical models of thermally and mechanically coupled two-layer convection of highly viscous fluids (Ellsworth, K., Schubert, G.), **93**, 347

Crustal movements

Analysis of a geodetic network using products of Legendre and Hermite polynomials for detecting real crustal movements (Asteriadis, G., Schwan, H., Arabelos, D.), **93**, 559

Crustal structure

Deep crustal reflections in Australia 1957-1973–II. Crustal models (Dooley, J.C., Moss, F.J.), **93**, 239

Deep seismic reflection

Diffraction modelling of 3-D lower-crustal reflectors (Raynaud, B.), **93**, 149
A 2-D, ray-based, depth migration method for deep seismic reflections (Raynaud, B.), **93**, 163
Deep crustal reflection recordings in Australia 1957-1973–I. Data acquisition and presentation (Moss, F.J., Dooley, J.C.), **93**, 229
Deep crustal reflections in Australia 1957-1973–II. Crustal models (Dooley, J.C., Moss, F.J.), **93**, 239

Earthquake source mechanism

Multipole expansions of extended sources of elastic deformation (Kagan, Y.Y.), **93**, 101

Earth's interior

The validity of the common approximate expressions for the Grüneisen parameter (Quareni, F., Mulargia, F.), **93**, 505

Earth's lithosphere

Rheological modelling and deformation instability of lithosphere under extension (Bassi, G., Bonnin, J.), **93**, 485

Earth's mantle

The 3-D shear wave structure in the mantle by overtone waveform inversion–II. Inversion of *X*-waves, *R*-waves and *G*-waves (Tanimoto, T.), **93**, 321
Reflections of P'P' from upper mantle discontinuities beneath the Mid-Atlantic Ridge (Nakanishi, I.), **93**, 335

Earth's rotation

Effect of a uniform sea-level change on the Earth's rotation and gravitational field (Chao, B.F., O'Connor, W.P.), **93**, 191

Elastic wave theory

Volume strain in relation to particle displacements for body and surface waves in a general viscoelastic half-space (Borcherdt, R.D.), **93**, 215
Wave propagation simulation in a linear viscoacoustic medium (Carcione, J.M., Kosloff, D., Kosloff, R.), **93**, 393
P-wave coda analysis of short-period array data and the scattering and absorptive properties of the lithosphere (Korn, M.), **93**, 437
Spherical harmonic decomposition of an elastic tensor (Mochizuki, E.), **93**, 521
Response of an infinite elastic transversely isotropic medium to a point force. An analytical solution in Hankel space (Kazi-Aoual, M.N., Bonnet, G., Jouanna, P.), **93**, 587

Electrical conductivity

Properties of the c-response function for conductivity distributions of class $\hat{S}^+$ (Yee, E., Paulson, K.V.), **93**, 265
Necessary and sufficient conditions for the existence of a solution to the one-dimensional magnetotelluric inverse problem (Yee, E., Paulson, K.V.), **93**, 279

Electromagnetic induction

Properties of the c-response function for conductivity distributions of class $\hat{S}^+$ (Yee, E., Paulson, K.V.), **93**, 265

Magnetotelluric data processing–a case study (Travassos, J.M., Beamish, D.), **93**, 377

Fracture zones

Geoid anomalies across Pacific fracture zones (Marty, J.-C., Cazenave, A., Lago, B.), **93**, 1
The effect of a shallow low-viscosity zone on the mantle flow, the geoid anomalies and the geoid and depth–age relationships at fracture zones (Robinson, E.M., Parsons, B., Driscoll, M.), **93**, 25

Fracturing

An analysis of horizontal fracture initiation during hydrofrac stress measurements in granite at North Conway, New Hampshire (Evans, K.F., Scholz, C.H., Engelder, T.), **93**, 251

Geoid

Global plate motion and the geoid: a physical model (Ricard, Y., Froidevaux, C., Fleitout, L.), **93**, 477

Geoid anomalies

Geoid anomalies across Pacific fracture zones (Marty, J.-C., Cazenave, A., Lago, B.), **93**, 1
The effect of a shallow low-viscosity zone on the mantle flow, the geoid anomalies and the geoid and depth–age relationships at fracture zones (Robinson, E.M., Parsons, B., Driscoll, M.), **93**, 25

Geomagnetism

International Geomagnetic Reference Field Revision 1987 (Barraclough, D.R.), **93**, 187
The field lines of an axisymmetric magnetic field (Backus, G.E.), **93**, 413

Gravity field

Effect of a uniform sea-level change on the Earth's rotation and gravitational field (Chao, B.F., O'Connor, W.P.), **93**, 191

Green's functions

Response of an infinite elastic transversely isotropic medium to a point force. An analytical solution in Hankel space (Kazi-Aoual, M.N., Bonnet, G., Jouanna, P.), **93**, 587

Inverse problem

Necessary and sufficient conditions for the existence of a solution to the one-dimensional magnetotelluric inverse problem (Yee, E., Paulson, K.V.), **93**, 279
Seismogravimetric method: principles, algorithms, results (Starostenko, V.I., Kostyukevich, A.S., Kozlenko, V.G.), **93**, 295
Search for the geological section pattern on the basis of seismic and gravity data by the 'voting' method (Mottl, J.), **93**, 311

Inverse theory

Automatic 1-D waveform inversion of marine seismic refraction data (Cary, P.W., Chapman, C.H.), **93**, 527

Inversion

Experimental verification of sea-bed shear modulus profile inversions using surface gravity (water) wave-induced sea-bed motion (Trevorrow, M., Yamamoto, T., Badiey, M., Turgut, A., Conner, C.), **93**, 419

Lateral heterogeneity

A new formalism for the effect of lateral heterogeneity on normal modes and surface waves–II. General anisotropic perturbation (Romanowicz, B., Snieder, R.), **93**, 91

Lateral leterogeneity

Surface waves across 2-D structures: a method based on coupled local modes (Maupin, V.), **93**, 173

Magnetotellurics

Magnetotelluric data processing–a case study (Travassos, J.M., Beamish, D.), **93**, 377

Mediterranean

The relationship between plate motions and seismic moment tensors, and the rates of active deformation in the Mediterranean and Middle East (Jackson, J., McKenzie, D.), **93**, 45

Mid-Atlantic Ridge

Reflections of P'P' from upper mantle discontinuities beneath the Mid-Atlantic Ridge (Nakanishi, I.), **93**, 335

Normal modes

A new formalism for the effect of lateral heterogeneity on normal modes and surface waves–II. General anisotropic perturbation (Romanowicz, B., Snieder, R.), **93**, 91
Free oscillation of the Japan Sea excited by earthquakes–II. Modal approach and synthetic tsunamis (Satake, K., Shimazaki, K.), **93**, 457

Oceanic lithosphere

Geoid anomalies across Pacific fracture zones (Marty, J.-C., Cazenave, A., Lago, B.), **93**, 1

Palaeomagnetism

Carboniferous palaeomagnetic investigations in Morocco: Permian remagnetizations and possible large Carboniferous rotations occurring in Mesetian sedimentary and Jebilets intrusive rocks (Salmon, E., Edel, J.B., Pique, A., Westphal, M.), **93**, 115
Palaeomagnetism of the Itajai, Castro and Bom Jardim groups from southern Brazil (D'Agrella-Filho, M.S., Pacca, I.G.), **93**, 365

Plate tectonics

Global plate motion and the geoid: a physical model (Ricard, Y., Froidevaux, C., Fleitout, L.), **93**, 477

Ray tracing

A 2-D, ray-based, depth migration method for deep seismic reflections (Raynaud, B.), **93**, 163

Two-point ray tracing using Fermat's principle (Waltham, D.A.), **93**, 575

Rheology

Rheological modelling and deformation instability of lithosphere under extension (Bassi, G., Bonnin, J.), **93**, 485

Seismic attenuation

Wave propagation simulation in a linear viscoacoustic medium (Carcione, J.M., Kosloff, D., Kosloff, R.), **93**, 393

Seismic inversion

Waveform inversion of time-corrected refraction data (Shaw, P.R.), **93**, 75
The 3-D shear wave structure in the mantle by overtone waveform inversion–II. Inversion of *X*-waves, *R*-waves and *G*-waves (Tanimoto, T.), **93**, 321
Automatic 1-D waveform inversion of marine seismic refraction data (Cary, P.W., Chapman, C.H.), **93**, 527

Seismicity

The relationship between plate motions and seismic moment tensors, and the rates of active deformation in the Mediterranean and Middle East (Jackson, J., McKenzie, D.), **93**, 45

Seismicity (reservoir-induced)

Reservoir-induced seismicity at Lake Pukaki, New Zealand (Reyners, M.), **93**, 127

Seismic regions

A proposal for additional regions for the Flinn–Engdahl regionalization scheme (Young, J.B.), **93**, 583

Seismic source theory

Multipole expansions of extended sources of elastic deformation (Kagan, Y.Y.), **93**, 101

Seismic surface waves

Surface waves across 2-D structures: a method based on coupled local modes (Maupin, V.), **93**, 173

Seismic velocities

Reflection characteristics of a mylonite zone based on compressional wave velocities of rock samples (McDonough, D.T., Fountain, D.M.), **93**, 547

Seismograph network

A PC-based broadband digital seismograph network (Bolt, B.A., Firday, J.E., Uhrhammer, R.A.), **93**, 565

Seismogravimetry

Seismogravimetric method: principles, algorithms, results (Starostenko, V.I., Kostyukevich, A.S., Kozlenko, V.G.), **93**, 295
Search for the geological section pattern on the basis of seismic and gravity data by the 'voting' method (Mottl, J.), **93**, 311

Seismology

Regional m_b : M_s, *Lg*/*Pg* amplitude ratios and *Lg* spectral ratios as criteria for distinguishing between earthquakes and explosions: a theoretical study (Lilwall, R.C.), **93**, 137
Surface waves across 2-D structures: a method based on coupled local modes (Maupin, V.), **93**, 173
Wavefield decomposition using ML-probabilities in modelling single-site 3-component records (Christoffersson, A., Husebye, E.S., Ingate, S.F.), **93**, 197
The use of spherical coordinates in the interpretation of seismograms (Lomax, A.J., Michelini, A.), **93**, 405
Two-point ray tracing using Fermat's principle (Waltham, D.A.), **93**, 575

Shear modulus

Experimental verification of sea-bed shear modulus profile inversions using surface gravity (water) wave-induced sea-bed motion (Trevorrow, M., Yamamoto, T., Badiey, M., Turgut, A., Conner, C.), **93**, 419

Spectral analysis

Free oscillation of the Japan Sea excited by earthquakes–I. Observation and wave-theoretical approach (Satake, K., Shimazaki, K.), **93**, 451

Spherical harmonics

Spherical harmonic decomposition of an elastic tensor (Mochizuki, E.), **93**, 521

Synthetic seismograms

Waveform inversion of time-corrected refraction data (Shaw, P.R.), **93**, 75
Diffraction modelling of 3-D lower-crustal reflectors (Raynaud, B.), **93**, 149

Theoretical seismograms

Regional m_b : M_s, *Lg*/*Pg* amplitude ratios and *Lg* spectral ratios as criteria for distinguishing between earthquakes and explosions: a theoretical study (Lilwall, R.C.), **93**, 137
Gaussian beam methods and theoretical seismograms (Katchalov, A.P., Popov, M.M.), **93**, 465

Thermodynamic properties

The validity of the common approximate expressions for the Grüneisen parameter (Quareni, F., Mulargia, F.), **93**, 505

Tsunami

Free oscillation of the Japan Sea excited by earthquakes–I. Observation and wave-theoretical approach (Satake, K., Shimazaki, K.), **93**, 451
Free oscillation of the Japan Sea excited by earthquakes–II. Modal approach and synthetic tsunamis (Satake, K., Shimazaki, K.), **93**, 457

Visco-elasticity

Volume strain in relation to particle displacements for body and surface waves in a general viscoelastic half-space (Borcherdt, R.D.), **93**, 215

Viscosity

Numerical models of thermally and mechanically coupled two-layer convection of highly viscous fluids (Ellsworth, K., Schubert, G.), **93**, 347

Geophysical journal author index by volume 93

Arabelos, D. *see* Schwan, H.

Backus, G.E. The field lines of an axisymmetric magnetic field, **93**, 413
Badiey, M. *see* Trevorrow, M.
Barraclough, D.R. International Geomagnetic Reference Field Revision 1987, **93**, 187
Bassi, G., Bonnin, J. Rheological modelling and deformation instability of lithosphere under extension, **93**,485
Beamish, D. *see* Travassos, J.M.
Bolt, B.A., Firday, J.E., Uhrhammer, R.A. A PC-based broadband digital seismograph network, **93**, 565
Bonnet, G. *see* Kazi-Aoual, M.N.
Bonnin, J. *see* Bassi, G.
Borcherdt, R.D. Volume strain in relation to particle displacements for body and surface waves in a general viscoelastic half-space, **93**, 215

Carcione, J.M., Kosloff, D., Kosloff, R. Wave propagation simulation in a linear viscoacoustic medium, **93**, 393
Cary, P.W., Chapman, C.H. Automatic 1-D waveform inversion of marine seismic refraction data, **93**, 527
Cazenave, A. *see* Marty, J.-C.
Chao, B.F., O'Connor, W.P. Effect of a uniform sea-level change on the Earth's rotation and gravitational field, **93**, 191
Chapman, C.H. *see* Cary, P.W.
Christoffersson, A., Husebye, E.S., Ingate, S.F. Wavefield decomposition using ML-probabilities in modelling single-site 3-component records, **93**, 197
Conner, C. *see* Trevorrow, M.

D'Agrella-Filho, M.S., Pacca, I.G. Palaeomagnetism of the Itajai, Castro and Bom Jardim groups from southern Brazil, **93**, 365
Dooley, J.C., Moss, F.J. Deep crustal reflections in Australia 1957-1973–II. Crustal models, **93**, 239
Dooley, J.C. *see* Moss, F.J.
Driscoll, M. *see* Robinson, E.M.

Edel, J.B. *see* Salmon, E.
Ellsworth, K., Schubert, G. Numerical models of thermally and mechanically coupled two-layer convection of highly viscous fluids, **93**, 347
Engelder, T. *see* Evans, K.F.
Evans, K.F., Scholz, C.H., Engelder, T. An analysis of horizontal fracture initiation during hydrofrac stress measurements in granite at North Conway, New Hampshire, **93**, 251

Firday, J.E. *see* Bolt, B.A.
Fleitout, L. *see* Ricard, Y.
Fountain, D.M. *see* McDonough, D.T.
Froidevaux, C. *see* Ricard, Y.

Husebye, E.S. *see* Christoffersson, A.

Ingate, S.F. *see* Christoffersson, A.

Jackson, J., McKenzie, D. The relationship between plate motions and seismic moment tensors, and the rates of active deformation in the Mediterranean and Middle East, **93**, 45
Jouanna, P. *see* Kazi-Aoual, M.N.

Kagan, Y.Y. Multipole expansions of extended sources of elastic deformation, **93**, 101
Katchalov, A.P., Popov, M.M. Gaussian beam methods and theoretical seismograms, **93**, 465
Kazi-Aoual, M.N., Bonnet, G., Jouanna, P. Response of an infinite elastic transversely isotropic medium to a point force. An analytical solution in Hankel space, **93**, 587
Korn, M. *P*-wave coda analysis of short-period array data and the scattering and absorptive properties of the lithosphere, **93**, 437
Kosloff, D. *see* Carcione, J.M.
Kosloff, R. *see* Carcione, J.M.
Kostyukevich, A.S. *see* Starostenko, V.I.
Kozlenko, V.G. *see* Starostenko, V.I.

Lago, B. *see* Marty, J.-C.
Lilwall, R.C. Regional M_b : M_s, *Lg*/*Pg* amplitude ratios and *Lg* spectral ratios as criteria for distinguishing between earthquakes and explosions: a theoretical study, **93**, 137
Lomax, A.J., Michelini, A. The use of spherical coordinates in the interpretation of seismograms, **93**, 405

McDonough, D.T., Fountain, D.M. Reflection characteristics of a mylonite zone based on compressional wave velocities of rock samples, **93**, 547
McKenzie, D. *see* Jackson, J.
Marty, J.-C., Cazenave, A., Lago, B. Geoid anomalies across Pacific fracture zones, **93**, 1
Maupin, V. Surface waves across 2-D structures: a method based on coupled local modes, **93**, 173
Mochizuki, E. Spherical harmonic decomposition of an elastic tensor, **93**, 521
Moss, F.J., Dooley, J.C. Deep crustal reflection recordings in Australia 1957-1973–I. Data acquisition and presentation, **93**, 229
Moss, F.J. *see* Dooley, J.C.
Mottl, J. Search for the geological section pattern on the basis of seismic and gravity data by the 'voting' method, **93**, 311
Mulargia, F. *see* Quareni, F.

Nakanishi, I. Reflections of P'P' from upper mantle discontinuities beneath the Mid-Atlantic Ridge, **93**, 335

O'Connor, W.P. *see* Chao, B.F.

Pacca, I.G. *see* D'Agrella-Filho, M.S.
Parsons, B. *see* Robinson, E.M.
Paulson, K.V. *see* Yee, E.

Pique, A. *see* Salmon, E.

Quareni, F., Mulargia, F. The validity of the common approximate expressions for the Grüneisen parameter, **93**, 505

Raynaud, B. A 2-D, ray-based, depth migration method for deep seismic reflections, **93**, 163
Raynaud, B. Diffraction modelling of 3-D lower-crustal reflectors, **93**, 149
Reyners, M. Reservoir-induced seismicity at Lake Pukaki, New Zealand, **93**, 127
Ricard, Y., Froidevaux, C., Fleitout, L. Global plate motion and the geoid: a physical model, **93**, 477
Robinson, E.M., Parsons, B., Driscoll, M. The effect of a shallow low-viscosity zone on the mantle flow, the geoid anomalies and the geoid and depth–age relationships at fracture zones, **93**, 25
Romanowicz, B., Snieder, R. A new formalism for the effect of lateral heterogeneity on normal modes and surface waves–II. General anisotropic perturbation, **93**, 91

Salmon, E., Edel, J.B., Pique, A., Westphal, M. Carboniferous palaeomagnetic investigations in Morocco: Permian remagnetizations and possible large Carboniferous rotations occurring in Mesetian sedimentary and Jebilets intrusive rocks, **93**, 115

Satake, K., Shimazaki, K. Free oscillation of the Japan Sea excited by earthquakes–I. Observation and wave-theoretical approach, **93**, 451
Satake, K., Shimazaki, K. Free oscillation of the Japan Sea excited by earthquakes–II. Modal approach and synthetic tsunamis, **93**, 457
Scholz, C.H. *see* Evans, K.F.
Schubert, G. *see* Ellsworth, K.
Schwan, H. *see* Schwan, H.
Shaw, P.R. Waveform inversion of time-corrected refraction data, **93**, 75
Shimazaki, K. *see* Sataka, K.
Shimazaki, K. *see* Satake, K.
Snieder, R. *see* Romanowicz, B.
Starostenko, V.I., Kostyukevich, A.S., Kozlenko, V.G. Seismogravimetric method: principles, algorithms, results, **93**, 295

Tanimoto, T. The 3-D shear wave structure in the mantle by overtone waveform inversion–II. Inversion of *X*-waves, *R*-waves and *G*-waves, **93**, 321
Travassos, J.M., Beamish, D. Magnetotelluric data processing–a case study, **93**, 377
Trevorrow, M., Yamamoto, T., Badiey, M., Turgut, A., Conner, C. Experimental verification of sea-bed shear modulus profile inversions using surface gravity (water) wave-induced sea-bed motion, **93**, 419
Turgut, A. *see* Trevorrow, M.

Uhrhammer, R.A. *see* Bolt, B.A.

Waltham, D.A. Two-point ray tracing using Fermat's principle, **93**, 575
Westphal, M. *see* Salmon, E.

Yamamoto, T. *see* Trevorrow, M.
Yee, E., Paulson, K.V. Necessary and sufficient conditions for the existence of a solution to the one-dimensional magnetotelluric inverse problem, **93**, 279
Yee, E., Paulson, K.V. Properties of the c-response function for conductivity distributions of class S^+, **93**, 265
Young, J.B. A proposal for additional regions for the Flinn–Engdahl regionalization scheme, **93**, 583